Index to Volume 6

Authors and Titles

Abdullah, M. P., Baba, I., Sarmani, S., and Erdawati.
Distribution of aluminium from alum sludge in water and sediment. 159

Al-Azri, A. R. *See* Shepherd, S. A. 575

Al-Wahaibi, D. *See* Shepherd, S. A. 575

Anderson, T. A. *See* Gooley, G. J. 723

Andrew, N. L. *See* Gordon, G. N. G. 793

Appleford, P. *See* Gooley, G. J. 723

Arnold, P. W. *See* Lemmens, J. W. T. J. 447

Atkinson, J. F. *See* Cheng, C.-Y. 251

Auer, M. T. *See* Gelda, R. K. 81
and Penn, M. R. 89

Avalos-Borja, M. *See* Shepherd, S. A. 607

Axelman, J., Bandh, C., Broman, D., Carman, R., Jonsson, P., Larsson, H., Linder, H., Näf, C., and Pettersen, H.
Time-trend analysis of PAH and PCB sediment fluxes in the northern Baltic Proper using different dating methods. 137

Ayress, M. *See* Yassini, I. 1181

Baba, I. *See* Abdullah, M. P. 159

Baines, P. G., and Murray, D. L.
Topographic influence on the pattern of flow through Bass Strait. 763

Baker, J. L. *See* Shepherd, S. A. 663

Bakke, T. *See* Naes, K. 275

Baldwin, J. *See* Lowe, T. E. 441

Bandh, C. *See* Axelman, J. 137

Banks, S. A., and Harriott, V. J.
Coral communities of the Gneering Shoals and Mudjimba Island, south-eastern Queensland. 1137

Banks, S. A. *See also* Harriott, V. J. 457

Barbanti, A., Bergamini, M. C., Frascari, F., Miserocchi, S., Ratta, M., and Rosso, G.
Diagenetic processes and nutrient fluxes at the sediment–water interface, Northern Adriatic Sea, Italy. 55

Barmuta, L. A. *See* Marchant, R. 501

Barnes, C. *See* Cochran, J. K. 215

Barrett, N. S.
Short- and long-term movement patterns of six temperate reef fishes (families Labridae and Monacanthidae). 853

Bayly, I. A. E.
Distinctive aspects of the zooplankton of large lakes in Australasia, Antarctica and South America. 1109

Bedford, K. W. *See* Wai, O. W. H. 373

Belaud, A. *See* Lek, S. 1229

Bergamini, M. C. *See* Barbanti, A. 55

Bierhuizen, B. *See* Iongh, H. H. de 759

Birtles, R. A. *See* Lemmens, J. W. T. J. 447

Blaber, S. J. M. *See* Martin, T. J. 909

Black, K.
Response to (E. Wolanski) 'Facts and numerical artefacts in modelling the dispersal of crown-of-thorns starfish larvae in the Great Barrier Reef'. 883

Bloesch, J.
Mechanisms, measurement and importance of sediment resuspension in lakes. 295

Boström, B. *See* Törnblom, E. 33

Bremle, G., and Ewald, G.
Bioconcentration of polychlorinated biphenyls (PCBs) in chironomid larvae, oligochaete worms and fish from contaminated lake sediment. 267

Brewer, D. T. *See* Martin, T. J. 909

Bridley, J. *See* Nash, W. J. 531

Broadhurst, M. K., and Kennelly, S. J.
Effects of an increase in mesh size on the catches of fish trawls off New South Wales, Australia. 745

Broadhurst, M. K., and Kennelly, S. J.
A trouser-trawl experiment to assess codends that exclude juvenile mulloway (*Argyrosomus hololepidotus*) in the Hawkesbury River prawn-trawl fishery. 953

Broman, D. *See* Axelman, J. 137

Brooks, N. H. *See* Eylers, H. 209
and Packman, A. I. 233

Brown, L. D. *See* Douglas, J. W. 729

Brunskill, G. *See* Gerritse, R. 843

Bulman, C. M., and Koslow, J. A.
Development and depth distribution of the eggs of orange roughy, *Hoplostethus atlanticus* (Pisces: Trachichthyidae). 697

Bulman, C. M. *See also* Koslow, J. A. 819

Bunn, S. E. *See* Kerby, B. M. 1101

Burnell, G. *See* Werner, I. 681

Butler, A. J. *See* Cheshire, A. C. 1211

Capra, M. F. *See* Guo, R. 947
and Macaranas, J. M. 1217

Caputi, N. *See* Joll, L. M. 779

Cardenas, M., Gailani, J., Ziegler, C. K., and Lick, W.
Sediment transport in the lower Saginaw River. 337

Carman, R. *See* Axelman, J. 137

Carragher, J. F. *See* Pankhurst, N. W. 1201

Cartes, J. E.
Diets of, and trophic resources exploited by, bathyal penaeoidean shrimps from the western Mediterranean. 889

Castro, J. A., and Mejuto, J.
Reproductive parameters of blue shark, *Prionace glauca*, and other sharks in the Gulf of Guinea. 967

Cheng, C.-Y., Atkinson, J. F., and DePinto, J. V.
Desorption during resuspension events: kinetic *v.* equilibrium model. 251

Cheshire, A. C., Butler, A. J., Westphalen, G., Rowland, B., Stevenson, J., and Wilkinson, C. R.
Preliminary study of the distribution and photophysiology of the temperate phototrophic sponge *Cymbastela* sp. from South Australia. 1211

Chessman, B. C. *See* Marchant, R. 501

Chick, A. *See* Roberts, J. 1171

Coates, M., and McKillup, S. C.
Role of recruitment and growth in determining the upper limit of distribution of the intertidal barnacle *Hexaminius popeiana*. 1065

Cochran, J. K., Frignani, M., Hirschberg, D. J., and Barnes, C.
Thorium isotopes as indicators of scavenging rates in the Venice Lagoon. 215

Cook, P. A. *See* Matthews, I. 545
and Day, R.W. 623

Cornelisse, J. M. *See* Verbeek, H. 179

Costa, J. R. *See* Pereira, E. G. 145

Creese, R. G. *See* Hooker, S. H. 617

Crook, D. A., and White, R. W. G.
Evaluation of subcutaneously implanted visual implant tags and coded wire tags for marking and benign recovery in a small scaleless fish, *Galaxias truttaceus* (Pisces: Galaxiidae). 943

Dalby, J. E. Jr.
Consequences of aggregated living in the ascidian *Pyura stolonifera*: evidence for non-contact intraspecific competition. 1195

Dann, P. *See* Hoedt, F. E. 1085

Davis, G. E.
Recruitment of juvenile abalone (*Haliotis* spp.) measured in artificial habitats. 549

Day, R. W., Williams, M. C., and Hawkes, G. P.
A comparison of fluorochromes for marking abalone shells. 599

Day, R.W., and Cook, P.
Bias towards brown algae in determining diet and food preferences: the South African abalone *Haliotis midae*. 623

Day, R. W. *See also* Thomas, M. 647

Dennison, W. C. *See* Horrocks, J. L. 975

DePinto, J. V. *See* Cheng, C.-Y. 251

Dewi, K. T. *See* Yassini, I. 1181

Dickson, S. *See* Nash, W. J. 531

Dimmlich, W. F. *See* Hoedt, F. E. 735
and Hoedt, F. E. 1085

Dimopoulos, I. *See* Lek, S. 1229

Doherty, P. J. *See* Moltschaniwskyj, N. A. 707

Douglas, J. W., Gooley, G. J., Ingram, B. A., Murray, N. D., and Brown, L. D.
Natural hybridization between Murray cod, *Maccullochella peelii peelii* (Mitchell), and trout cod, *Maccullochella macquariensis* (Cuvier) (Percichthyidae), in the Murray River, Australia. 729

Drollet, J. H., Faucon, M., and Martin, P. M. V.
Elevated sea-water temperature and solar UV-B flux associated with two successive coral mass bleaching events in Tahiti. 1153

Drummond, A. E.
Reproduction of the sea urchins *Echinometra mathaei* and *Diadema savignyi* on the South African eastern coast. 751

Duque-Portugal, F. J. *See* Lincoln Smith, M. P. 715

Edward, D. H. D. *See* Watts, R. J. 769

Effler, S. W. *See* Gelda, R. K. 81

Elliott, N G., and Ward, R. D.
Genetic relationships of eight species of Pacific tunas (Teleostei: Scombridae) inferred from allozyme analysis. 1021

Elliott, N. G. *See also* Ward, R. D. 921

Erdawati *See* Abdullah, M. P. 159

Evans, A. J. *See* Evans, C. R. 809

Evans, C. R., Lockwood, A. P. M., and Evans, A. J.
Associations between sea temperature, catch per unit of fishing effort, and yield in the Bermuda spiny lobster fishery, 1975–89. 809

Ewald, G. *See* Bremle, G. 267

Eylers, H., Brooks, N. H., and Morgan, J. J.
Transport of adsorbing metals from stream water to a stationary sand-bed in a laboratory flume. 209

Fairweather, P. G. *See* James, R. J. 1093

Faucon, M. *See* Drollet, J. H. 1153

Fernandes, E. A. N. *See* Ferraz, E. S. B. 107

Ferraz, E. S. B., and Fernandes, E. A. N.
Trace element composition in sediments of the Amazonian Lake Cristalino. 107

Flothmann, S. *See* Werner, I. 681

Forsell, L., and Pettersson, K.
On the seasonal migration of the cyanobacterium *Gloeotrichia echinulata* in Lake Erken, Sweden, and its influence on the pelagic population. 287

Förstner, U.
Risk assessment and technological options for contaminated sediments—a geochemical perspective. 113

Frascari, F. *See* Barbanti, A. 55

Frignani, M. *See* Cochran, J. K. 215

Gailani, J. *See* Cardenas, M. 337

Galassi, S. *See* Provini, A. 129

Gawne, B.
Effects of feeding by *Agapetus* species (Trichoptera) on the density of epilithon in an Australian upland stream. 991

Gelda, R. K., Auer, M. T., and Effler, S. W.
Determination of sediment oxygen demand by direct measurement and by inference from reduced species accumulation. 81

Gerritse, R., Hernandez, F., Murray, A. S., Wallbrink, P. J., and Brunskill, G.
Distribution of organochlorines, polycyclic aromatic hydrocarbons, phosphorus and ^{137}Cs in sediment profiles from Ellen Brook in Western Australia. 843

Gillanders, B. M.
Reproductive biology of the protogynous hermaphrodite *Achoerodus viridis* (Labridae) from south-eastern Australia. 999

Gillanders, B. M.
Feeding ecology of the temperate marine fish *Achoerodus viridis* (Labridae): size, seasonal and site-specific differences. 1009

Goggin, C. L., and Lester, R. J. G.
Perkinsus, a protistan parasite of abalone in Australia: a review. 639

Gooley, G. J., Anderson, T. A., and Appleford, P.
Aspects of the reproductive cycle and gonadal development of Murray cod, *Maccullochella peelii peelii* (Mitchell) (Percichthyidae), in Lake Charlegrark and adjacent farm ponds, Victoria, Australia. 723

Gooley, G. J. *See also* Douglas, J. W. 729

Gordon, G. N. G., Andrew, N. L., and Montgomery, S. S.
Deterministic compartmental model for the eastern king prawn (*Penaeus plebejus*) fishery in New South Wales. 793

Grant, R. *See* Kronvang, B. 167

Grewe, P. M. *See* Ward, R. D. 921

Grove-Jones R. *See* Keesing, J. K. 539

Grutter, A. S.
Comparison of methods for sampling ectoparasites from coral reef fishes. 897

Guo, R., Mather, P. B., and Capra, M. F.
Salinity tolerance and osmoregulation in the silver perch, *Bidyanus bidyanus* Mitchell (Teraponidae), an endemic Australian freshwater teleost. 947

Guzzella L. *See* Provini, A. 129

Håkanson, L.
Models to predict net and gross sedimentation in lakes. 305

Håkanson, L. *See also* Persson, J. 359

Halliday, I. A.
Influence of natural fluctuations in seagrass cover on commercial prawn nursery grounds in a subtropical estuary. 1121

Hamilton, D. P. *See* Schladow, S. G. 189

Hamner, P. P. *See* Hamner, W. M. 985

Hamner, W. M., Jones, M. S., and Hamner, P. P.
Swimming, feeding, circulation and vision in the Australian box jellyfish, *Chironex fleckeri* (Cnidaria: Cubozoa). 985

Harriott, V. J., Harrison, P. L., and Banks, S. A.
The coral communities of Lord Howe Island. 457

Harriott, V. J. *See also* Banks, S. A. 1137

Harrison, P. L. *See* Harriott, V. J. 457

Haskard, K. A. *See* Koslow, J. A. 819

Hawes, P. M. H. *See* Lincoln Smith, M. P. 715

Hawke, D. J.
Reactive silicate in shelf waters near Otago Peninsula, New Zealand. 427

Hawkes, G. P. *See* Day, R. W. 599

Haynes, D., and Quinn, G. P.
Temporal and spatial variability in community structure of a sandy intertidal beach, Cape Paterson, Victoria, Australia. 931

Hearnden, M. N. *See* Hurley, M. 1033

Hebbert, D. R. *See* Watts, R. J. 769

Heineman, M. C. *See* Kolb, B. H. 69

Hernandez, F. *See* Gerritse, R. 843

Hirschberg, D. J. *See* Cochran, J. K. 215

Hislop, B. *See* Nash, W. J. 531

Hoeben, P. *See* Macaranas, J. M. 1217

Hoedt, F. E., and Dimmlich, W. F.
Egg and larval abundance and spawning localities of the anchovy (*Engraulis australis*) and pilchard (*Sardinops neopilchardus*) near Phillip Island, Victoria. 735

Hoedt, F. E., Dimmlich, W. F., and Dann, P.
Seasonal variation in the species and size composition of the clupeoid assemblages in Western Port, Victoria. 1085

Holdway, D. A. *See* Reid, H. P. 475

Honan, J. A., and Mitchell, B. D.
Reproduction of *Euastacus bispinosus* Clark (Decapoda: Parastacidae), and trends in the reproductive characteristics of freshwater crayfish. 485

Hooker, S. H., and Creese, R. G.
Reproduction of paua, *Haliotis iris* Gmelin 1791 (Mollusca: Gastropoda), in north-eastern New Zealand. 617

Horrocks, J. L., Stewart, G. R., and Dennison, W. C.
Tissue nutrient content of *Gracilaria* spp. (Rhodophyta) and water quality along an estuarine gradient. 975

Horwitz, P. *See* Ryder, D. S. 1077

Hughes, J. M. *See* Kerby, B. M. 1101

Humphries, P.
Life history, food and habitat of southern pygmy perch, *Nannoperca australis*, in the Macquarie River, Tasmania. 1159

Hurley, M., Hearnden, M. N., and Kay, B. H.
Distribution of aquatic pulmonate snail species in contrasting habitats within the Ross River Reservoir (Stage 2*a*), tropical northern Australia. 1033

Hürzeler, B. E., Ivey, G. N., and Imberger, J.
Spreading model for a turbidity current with reversing buoyancy from a constant-volume release. 393

Hwang, S.-C. *See* Tsai, C.-H. 383

Imberger, J. *See* Hürzeler, B. E. 393

Ingram, B. A. *See* Douglas, J. W. 729

Iongh, H. H. de, Wenno, B., Bierhuizen, B., and Orden, B. van.
Aerial survey of the dugong (*Dugong dugon* Müller, 1776) in coastal waters of the Lease Islands, East Indonesia. 759

Ivey, G. N. *See* Hürzeler, B. E. 393

James, R. J., and Fairweather, P. G.
Comparison of rapid methods for sampling the pipi, *Donax deltoides* (Bivalvia:Donacidae), on sandy ocean beaches. 1093

Jenne, E. A.
Metal adsorption onto and desorption from sediments. II. Artifact effects. 1

Jensen, A. *See* Valeur, J. R. 409

Johnson, C. R. *See* McNamara, D. C. 571

Johnson, D. W. *See* Shepherd, S. A. 663

Joll, L. M., and Caputi, N.
Geographic variation in the reproductive cycle of the saucer scallop, *Amusium balloti* (Bernardi, 1861) (Mollusca: Pectinidae), along the Western Australian coast. 779

Jones, B. G. *See* Yassini, I. 1181

Jones, M. S. *See* Hamner, W. M. 985

Jonsson, P. *See* Axelman, J. 137

Jordan, A., Pullen, G., Marshall, J., and Williams, H.
Temporal and spatial patterns of spawning in jack mackerel, *Trachurus declivis* (Pisces:Carangidae), during 1988–91 in eastern Tasmanian waters. 831

Kay, B. H. *See* Hurley, M. 1033

Keesing, J. K., Grove-Jones R., and Tagg, P.
Measuring settlement intensity of abalone: results of a pilot study. 539

Kelly, S. J. *See* Rippingale, R. J. 1145

Kennelly, S. J. *See* Broadhurst, M. K. 745
and Broadhurst, M. K. 953

Kerby, B. M., Bunn, S. E., and Hughes, J. M.
Factors influencing invertebrate drift in small forest streams, south-eastern Queensland. 1101

Kern, U., and Westrich, B.
Sediment contamination by heavy metals in a lock-regulated section of the River Neckar. 101

King, R. J. *See* Yassini, I. 1181

Knauth, H.-D. *See* Petersen, W. 19

Kobayashi, T.
Different patterns of resource use between two coexisting freshwater calanoid species. 481

Kojima, H.
Evaluation of abalone stock enhancement through the release of hatchery-reared seeds. 689

Kolb, B. H., and Heineman, M. C.
Controlling mechanisms of sediment-driven dissolved oxygen dynamics in New Bedford Outer Harbor. 69

Konieczny, R. *See* Naes, K. 275

Konitzer, K., and Meili, M.
Retention and horizonal redistribution of sedimentary Chernobyl ^{137}Cs in a small Swedish forest lake. 153

Korienek, J. J. *See* Penn, M. R. 89

Koslow, J. A. *See* Bulman, C. M. 697

Koslow, J. A., Bulman, C. M., Lyle, J. M., and Haskard, K. A.
Biomass assessment of a deep-water fish, the orange roughy (*Hoplostethus atlanticus*), based on an egg survey. 819

Kristensen, P. *See* Kronvang, B. 167

Kronvang, B., Grant, R., Larsen, S. E., Svendsen, L. M., and Kristensen, P.
Non-point-source nutrient losses to the aquatic environment in Denmark: impact of agriculture. 167

Larsen, S. E. *See* Kronvang, B. 167

Larsson, H. *See* Axelman, J. 137

Lauga, J. *See* Lek, S. 1229

Lawrance, G. A. *See* Nolan, A. L. 1055

Lebo, M. E., and Reuter, J. E.
Spatial variability in sediment composition and evidence for resuspension in a large, deep lake. 321

Lek, S., Belaud, A., Dimopoulos, I., Lauga, J., and Moreau, J.
Improved estimation, using neural networks, of the food consumption of fish populations. 1229

Lemmens, J. W. T. J.
Calcium accumulation during the transition from puerulus to juvenile in the western rock lobster, *Panulirus cygnus* (Decapoda:Palinuridae). 905

Lemmens, J. W. T. J., Arnold, P. W., and Birtles, R. A.
Distribution patterns and selective feeding in two *Astropecten* species (Asteroidea:Echinodermata) from Cleveland Bay, Northern Queensland. 447

Lester, R. J. G. *See* Goggin, C. L. 639

Li, Pinglin, *See* Petersen, W. 19

Lick,W. *See* Cardenas, M. 337

Lincoln Smith, M. P., Hawes, P. M. H., and Duque-Portugal, F. J.
Spatial variability in the nekton of a canal estate in southern New South Wales, Australia, and its implications for estuarine management. 715

Linder, H. *See* Axelman, J. 137

Lluch, X. *See* López, P. 45

Lockwood, A. P. M. *See* Evans, C. R. 809

López, P., Vidal, M., Lluch, X., and Morguí, J. A.
Sediment metabolism in a transitional continental/marine area: the Albufera of Majorca (Balearic Islands, Spain). 45

Lowe, T. E., Wells, R. M. G., and Baldwin, J.
Absence of regulated blood-oxygen transport in response to strenuous exercise by the shovelnosed ray, *Rhinobatos typus*. 441

Lyle, J. M. *See* Koslow, J. A. 819

Macaranas, J. M., Mather, P. B., Hoeben, P., and Capra, M. F.
Assessment of genetic variation in wild populations of the redclaw crayfish (*Cherax quadricarinatus*, von Martens 1868) by means of allozyme and RAPD–PCR markers. 1217

Maeder, M. *See* Nolan, A. L. 1055

Mahony, J. D. *See* Pereira, E. G. 145

Marchant, R., Barmuta, L. A., and Chessman, B. C.
Influence of sample quantification and taxonomic resolution on the ordination of macroinvertebrate communities from running waters in Victoria, Australia. 501

Marshall, J. *See* Jordan, A. 831

Martin, P. M. V. *See* Drollet, J. H. 1153

Martin, T. J., Brewer, D. T., and Blaber, S. J. M.
Factors affecting distribution and abundance of small demersal fishes in the Gulf of Carpentaria, Australia. 909

Mason, C. J., and Nell, J. A.
Condition index and chemical composition of meats of Sydney rock oysters (*Saccostrea commercialis*) and Pacific oysters (*Crassostrea gigas*) at four sites in Port Stephens, NSW. 873

Mather, P. B. *See* Guo, R. 947
and Macaranas, J. M. 1217

Matthews, I., and Cook, P. A.
Diatom diet of abalone post-larvae (*Haliotis midae*) and the effect of pre-grazing the diatom overstorey. 545

McBride, T. P., and Noller, B. N.
Sampling techniques for reliable determination of trace metals in macrophytes and periphyton. 1047

McComb, A. J. *See* Qiu, S. 1039

McKillup, S. C. *See* Coates, M. 1065

McNamara, D. C., and Johnson, C. R.
Growth of the ass's ear abalone (*Haliotis asinina* Linné) on Heron Reef, tropical eastern Australia. 571

McShane, P. E.
Estimating the abundance of abalone: the importance of patch size. 657

McShane, P. E.
Recruitment variation in abalone: its importance to fisheries management. 555

Meili, M. *See* Konitzer, K. 153
and Weyhenmeyer, G. A. 223

Mejuto, J. *See* Castro, J. A. 967

Miserocchi, S. *See* Barbanti, A. 55

Mitchell, B. D. *See* Honan, J. A. 485
and Walsh, C. J. 959

Moltschaniwskyj, N. A., and Doherty, P. J.
Cross-shelf distribution patterns of tropical juvenile cephalopods sampled with light-traps. 707

Montgomery, S. S. *See* Gordon, G. N. G. 793

Moody, P. W. *See* Pailles, C. 435

Moreau, J. *See* Lek, S. 1229

Morgan, J. J. *See* Eylers, H. 209

Morguí, J. A. *See* López, P. 45

Moura, I. *See* Pereira, E. G. 145

Müller, G. *See* Song, Y. 237

Mulvay, P. *See* Wells, F. E. 591

Murray, A. S. *See* Gerritse, R. 843

Murray, D. L. *See* Baines, P. G. 763

Murray, N. D. *See* Douglas, J. W. 729

Naes, K., Bakke, T., and Konieczny, R.
Mobilization of PAH from polluted seabed and uptake in the blue mussel (*Mytilus edulis* L.). 275

Näf, C. *See* Axelman, J. 137

Nash, W. J., Sanderson, J. C., Bridley, J., Dickson, S., and Hislop, B.
Post-larval recruitment of blacklip abalone (*Haliotis rubra*) on artificial collectors in southern Tasmania. 531

Nell, J. A. *See* Mason, C. J. 873

Nolan, A. L., Lawrance, G. A., and Maeder, M.
Phosphorus speciation in the Williams River, New South Wales: eutrophication and a chemometric analysis of relationships with other water quality parameters. 1055

Noller, B. N. *See* McBride, T. P. 1047

O'Gower, A. K.
Speculations on a spatial memory for the Port Jackson shark (*Heterodontus portusjacksoni*) (Meyer) (Heterodontidae). 861

Orden, B. van. *See* Iongh, H. H. de 759

Oswald, L. *See* Roberts, J. 1171

Packman, A. I., and Brooks, N. H.
Colloidal particle exchange between stream and stream bed in a laboratory flume. 233

Pailles, C., and Moody, P. W.
Effect of experimental conditions on phosphorus extracted from estuarine and marine sediments. 435

Palmer, P.
Occurrence of a New Zealand pea crab, *Pinnotheres novaezelandiae*, in five species of surf clam. 1071

Pankhurst, N. W., and Carragher, J. F.
Effect of exogenous hormones on reproductive behaviour in territorial males of a natural population of demoiselles, *Chromis dispilus* (Pisces: Pomacentridae). 1201

Pankhurst, N. W. *See also* Ventling, A. R. 467

Partington, D. *See* Shepherd, S. A. 669

Pejrup, M. *See* Valeur, J. R. 409

Penn, M. R., Auer, M. T., Van Orman, E. L., and Korienek, J. J.
Phosphorus diagenesis in lake sediments: investigations using fractionation techniques. 89

Pereira, E. G., Moura, I., Costa, J. R., Mahony, J. D., and Thomann, R. V.
The S. Domingos Mine: a study of heavy metal contamination in the water column and sediments of the Chança River Basin by discharge from an ancient cupriferous pyrite mine (Portugal). 145

Persson, J., and Håkanson, L.
Prediction of bottom dynamic conditions in coastal waters. 359

Petersen, W., Wallmann, K., Li, Pinglin, Schroeder F., and Knauth, H.-D.
Exchange of trace elements at the sediment–water interface during early diagenesis processes. 19

Pettersen, H. *See* Axelman, J. 137

Pettersson, K. *See* Forsell, L. 287

Phillips, J. M., and Walling, D. E.
Measurement *in situ* of the effective particle-size characteristics of fluvial suspended sediment by means of a field-portable laser backscatter probe: some preliminary results. 349

Pierson, D. C. *See* Weyhenmeyer, G. A. 223

Provini, A., Galassi, S., Guzzella L., and Valli, G.
PCB profiles in sediments of Lakes Maggiore, Como and Garda (Italy). 129

Pullen, G. *See* Jordan, A. 831

Qiu, S., and McComb, A. J.
Planktonic and microbial contributions to phosphorus release from fresh and air-dried sediments. 1039

Quinn, G. P. *See* Haynes, D. 931

Quintanilla, M. O. *See* Shepherd, S. A. 607

Ratta, M. *See* Barbanti, A.

Reid, H. P., and Holdway, D. A.
Early development of the Australian crimson-spotted rainbow fish, *Melanotaenia fluviatilis* (Pisces: Melanotaeniidae). 475

Reid, J. S.
Observational evidence of the interaction of ocean wind-sea with swell. 419

Reuter, J. E. *See* Lebo, M. E. 321

Reuter, J. E. *See* Slotton, D. G. 257

Rippingale, R. J., and Kelly, S. J.
Reproduction and survival of *Phyllorhiza punctata* (Cnidaria: Rhizostomae) in a seasonally fluctuating salinity regime in Western Australia. 1145

Roberts, J., Chick, A., Oswald, L., and Thompson, P.
Effect of carp, *Cyprinus carpio* L., an exotic benthivorous fish, on aquatic plants and water quality in experimental ponds. 1171

Rosso, G. *See* Barbanti, A.

Rowland, B. *See* Cheshire, A. C. 1211

Ryder, D. S., and Horwitz, P.
Seasonal water regimes and leaf litter processing in a wetland on the Swan Coastal Plain, Western Australia. 1077

Sanderson, J. C. *See* Nash, W. J. 531

Sarmani, S. *See* Abdullah, M. P 159

Sasaki, R., and Shepherd, S. A.
Larval dispersal and recruitment of *Haliotis discus hannai* and *Tegula* spp. on Miyagi Coasts, Japan. 519

Schiel, D. R. *See* Wilson, N. H. F. 629

Schladow, S. G., and Hamilton, D. P.
Effect of major flow diversion on sediment nutrient release in a stratified reservoir. 189

Schroeder F., *See* Petersen, W. 19

Shepherd, S. A., Al-Wahaibi, D., and Al-Azri, A. R.
Shell growth checks and growth of the Omani abalone *Haliotis mariae*. 575

Shepherd, S. A., and Partington, D.
Studies on southern Australian abalone (genus *Haliotis*). XVI. Recruitment, habitat and stock relations. 669

Shepherd, S. A., Avalos-Borja, M., and Quintanilla, M. O.
Toward a chronology of *Haliotis fulgens*, with a review of abalone shell microstructure. 607

Shepherd, S. A., Baker, J. L., and Johnson, D. W.
Yield-per-recruit and egg-per-recruit analyses of the Omani abalone, *Haliotis mariae*. 663

Shepherd, S. A. *See also* Sasaki, R. 519

Slotton, D. G., and Reuter, J. E.
Heavy metals in intact and resuspended sediments of a California reservoir, with emphasis on potential bioavailability of copper and zinc. 257

Song, Y., and Müller, G.
Biogeochemical cycling of nutrients and trace metals in anoxic freshwater sediments of the Neckar River, Germany. 237

Stevenson, J. *See* Cheshire, A. C. 1211

Stewart, G. R. *See* Horrocks, J. L 975

Storey, A. W. *See* Watts, R. J. 769

Sukhenko, S. A.
Relation between mercury concentration and water discharge in the Katun River, Siberia. 245
Svendsen, L. M. *See* Kronvang, B. 167

Tagg, P. *See* Keesing, J. K. 539
Tarr, R. J. Q.
Growth and movement of the South African abalone *Haliotis midae*: a reassessment. 583
Thomann, R. V. *See* Pereira, E. G. 145
Thomas, M., and Day, R. W.
Site selection by a small drilling predator: why does the gastropod *Haustrum baileyanum* drill over muscle tissue of the abalone *Haliotis rubra*? 647
Thompson, P. *See* Roberts, J. 1171
Tomaszek, J. A.
Relationship between denitrification and redox potential in two sediment–water systems. 27
Törnblom, E., and Boström, B.
Benthic microbial response to a sedimentation event at low temperature in sediments of a eutrophic lake. 33
Tsai, C.-H., and Hwang, S.-C.
Flocculation of sediment from the Tanshui River estuary. 383

Valeur, J. R., Jensen, A., and Pejrup, M.
Turbidity, particle fluxes and mineralization of carbon and nitrogen in a shallow coastal area. 409
Valli, G. *See* Provini, A. 129
Van Orman, E. L. *See* Penn, M. R. 89
Ventling, A. R., and Pankhurst, N. W.
Effects of gonadal steroids and human chorionic gonadotrophin on final oocyte maturation *in vitro* in the New Zealand snapper *Pagrus auratus* (Sparidae). 467
Verbeek, H., and Cornelisse, J. M.
Consolidation of dredged sludge, measured by an acoustic densitometer. 179
Vidal, M. *See* López, P. 45

Wai, O. W. H., and Bedford, K. W.
Empirical orthogonal function analysis of sediment concentration profiles subjected to waves and currents. 373
Wallbrink, P. J. *See* Gerritse, R. 843
Walling, D. E. *See* Phillips, J. M. 349
Walling, D. E., and Woodward, J. C.
Tracing sources of suspended sediment in river basins: a case study of the River Culm, Devon, UK. 327
Wallmann, K., *See* Petersen, W. 19
Walsh, C. J., and Mitchell, B. D.
The freshwater shrimp *Paratya australiensis* (Kemp, 1917) (Decapoda: Atyidae) in estuaries of south-western Victoria, Australia. 959
Ward, R. D. *See* Elliott, N G. 1021
Ward, R. D., Elliott, N. G., and Grewe, P. M.
Allozyme and mitochondrial DNA separation of Pacific northern bluefin tuna, *Thunnus thynnus orientalis* (Temminck and Schlegel), from southern bluefin tuna, *Thunnus maccoyii* (Castelnau). 921
Watts, R. J., Storey, A. W., Hebbert, D. R., and Edward, D. H. D.
Genetic and morphological differences between populations of the western minnow, *Galaxias occidentalis*, from two river systems in south-western Australia. 769
Wells, F. E., and Mulvay, P.
Good and bad fishing areas for *Haliotis laevigata*: a comparison of population parameters. 591
Wells, R. M. G. *See* Lowe, T. E. 441
Wenno, B. *See* Iongh, H. H. de 759
Werner, I., Flothmann, S., and Burnell, G.
Behaviour studies on the mobility of two species of abalone (*Haliotis tuberculata* and *H. discus hannai*) on sand: implications for reseeding programmes. 681
Westphalen, G. *See* Cheshire, A. C. 1211
Westrich, B. *See* Kern, U. 101
Weyhenmeyer, G. A., Meili, M., and Pierson, D. C.
A simple method to quantify sources of settling particles in lakes: resuspension versus new sedimentation of material from planktonic production. 223
White, R. W. G. *See* Crook, D. A. 943
and Wolf, B. M. 1127
Wilkinson, C. R. *See* Cheshire, A. C. 1211
Williams, H. *See* Jordan, A. 831
Williams, M. C. *See* Day, R. W. 599
Wilson, N. H. F., and Schiel, D. R.
Reproduction in two species of abalone (*Haliotis iris* and *H. australis*) in southern New Zealand. 629
Wolf, B. M., and White, R. W. G.
Age and growth of the queen scallop, *Equichlamys bifrons*, in the D'Entrecasteaux Channel and Huon River Estuary, Tasmania. 1127
Woodward, J. C. *See* Walling, D. E. 327
Wörman, A.
Coupled hydrological and biogeochemical model for aqueous contaminant transport. 197

Yassini, I., Jones, B. G., King, R. J., Ayress, M., and Dewi, K. T.
Ostracod fauna associated with sublittoral kelp forest vegetation at Windang Island, New South Wales, Australia. 1181
Yule, C. M.
Benthic invertebrate fauna of an aseasonal tropical mountain stream on Bougainville Island, Papua New Guinea. 507

Ziegler, C. K. *See* Cardenas, M. 337